

providing to the mobile unit over a wireless network service connection the conditions for the alert, the wireless network service connection linking the mobile unit and a service center over the wide area network;

monitoring in the mobile unit the mobile unit's position;

providing the service center a signal indicating that the conditions for the alert are satisfied; and

alerting a designated location by carrying out the specified action from the service center upon receiving the signal.

4. (Twice Amended) The method of claim 1, wherein the specified action comprises telephoning the designated location.

5. (Twice Amended) The method of claim 1, wherein the specified action comprises sending e-mail to the designated location.

6. (Twice Amended) The method of claim 1, wherein providing the conditions for the alert comprises downloading information from the service center to the mobile unit.

7. (Amended) The method of claim 6, further comprising downloading a destination list, including information that identifies the conditions for the alert, to the mobile unit from a web site corresponding to the service center.

8. (Amended) The method of claim 1, wherein the conditions identify an area around a destination for the mobile unit.

9. (Amended) The method of claim 8, wherein the conditions indicate that the alert should be generated when the mobile unit enters the area around the destination.

LAW OFFICES OF
MacPherson, Kwok, Chen &
Held LLP

2001 Gateway Place
San Jose, CA 95110
(408)-392-9520
FAX (408)-392-9262

10. (Amended) The method of claim 8, wherein the conditions indicate that the alert should be generated when the mobile unit leaves the area around the destination.

11. (Amended) The method of claim 8, wherein the area around the destination is provided to the mobile unit as a location and a threshold radius that respectively correspond to a center and a radius of the area surrounding the destination.

12. (Amended) The method of claim 1, further comprising selecting a selected destination for the mobile unit, wherein the conditions for the alert require that the selected destination be a destination that is identified in the conditions.

14. (Three Times Amended) A delivery method comprising:

creating a list of destinations for deliveries at a service center, the list including a threshold distance for one or more destinations for which an alert should be generated;

providing a mechanism accessible over a wide area network for users related to the destinations to specify actions to be carried out when the alert is generated;

downloading a portion of the list of destinations to a mobile unit installed in a delivery vehicle, the downloading being effectuated over a wireless network connection which links the mobile unit to the service center over a wide area network;

selecting a destination from the list as a next destination for a delivery vehicle;

monitoring distance between the delivery vehicle and the selected destination;

generating the alert from the delivery vehicle when the distance is less than a threshold distance;

LAW OFFICES OF
MacPherson, Kwok, Chen &
Held LLP

2001 Gateway Place
San Jose, CA 95110
(408)-392-9520
FAX (408)-392-9262

receiving the alert at the service center; and

carrying out the specified action from the service center to the selected destination in response to the alert received at the service center.

15. (Twice Amended) The method of claim 14, wherein comprises sending a message from the delivery vehicle to the service center, the message including a tag identifying the destination.

16. (Three Times Amended) A mobile unit comprising:

a location system;

a wireless device linking the mobile unit with a service center over a wireless network connection of a wide area network; and

a control circuit including a user interface, wherein (1) the control circuit receives a destination list from the service center over the wireless connection, (2) the user interface allows a user to edit the destination list received and to select a current destination from the destination list, and (3) the control circuit sends a message to inform the service center of the current destination, automatically activates the location system to determine a current location of the mobile unit, determines whether the mobile unit has crossed a threshold relating to the current destination, and activates the wireless device to send an alert signal if the mobile unit has crossed the threshold.

22. (Twice Amended) A system comprising:

a data connection to a wide area network;

an alerting device; and

LAW OFFICES OF
MacPherson, Kwok, Chen &
Held LLP

2001 Gateway Place
San Jose, CA 95110
(408)-392-9520
FAX (408)-392-9262

CF
could.

a service center connected to the data connection to enable receipt of messages from a mobile unit over a wireless network connection and connected to the alerting device to enable the service center to activate the alerting device and send alerts, the service center maintaining contact information for the mobile unit, wherein the service center comprises a server that permits access to the service center over the wide area network for setting the designated location to which the alerting device sends the alert and the conditions for the alert, and wherein

in response to a signal from the mobile unit, the service center activates the alerting device to send an alert to a designated location identified in the contact information.

23. (Twice Amended) The system of claim 22, wherein the wide area network includes the internet, and wherein the server is accessed by a web browser.

Appendix A includes marked-up copies of the claims, showing the specific amendments.